

ZETTEX

STICK WITH US



EN



Product Brochure

www.zettex.com



ZETTEX INTRODUCTION

Since its founding in 1998, Zettex has developed into a leading manufacturer of high-quality adhesives and sealants, including MS polymers, PU foams, and contact adhesives. Innovation has been central from the start, with the introduction of MS polymers in 2000 as a significant milestone.

Through strategic investments and acquisitions, the company has grown significantly, both in capacity and international presence. Major expansions include new production facilities in the Netherlands and Poland. Zettex offers both its own-brand and

private-label solutions, with flexible color and packaging options. Modern facilities and a strong focus on quality and innovation enable fast and efficient product delivery.

With extensive experience in sectors such as roofing and shipbuilding, Zettex understands the market. Product development, quality control, and customer service are central to their approach. This brochure presents the complete product range: products of proven quality, developed to meet the highest standards.



■ ZETTEX ■





FACTS AND FIGURES

We offer a complete product range with over 200 colors and various packaging options. Thanks to three modern production sites and sustainable production planning, we can respond quickly and guarantee consistent quality. Our company employs 60 people and focuses on high production standards, safety, and sustainability, with minimal waste and fully controlled processes via our ADR-certified warehouse and internal transport. Our sales and after-sales team supports customers worldwide, supplemented by targeted marketing in local markets.

KEY BENEFITS

We respond quickly with customized solutions, smooth communication, and short lead times, adapting formulations

and processes to specific needs. Our R&D laboratory continuously develops and improves products to stay ahead of the market and deliver top performance.

All Zettex products are developed and manufactured in Europe, guaranteeing consistent and reliable quality compared to mass-produced alternatives.

QUALITY CONTROL

Our quality control department tests every batch during and after production to ensure peak performance, both fresh and after accelerated aging.

We keep reference samples for future verification and work with trusted international suppliers to ensure consistent quality and reliability.



NATIONAL AND INTERNATIONAL GROWTH

We process over 100,000 packages daily and export our products to no fewer than 52 countries. Whether you need large quantities of customized products, we are your partner in quality, service, and innovation.

RESEARCH & DEVELOPMENT

Our R&D department develops new products and updates existing formulas to meet changing market demands. Through rapid mixing and small-scale production, we quickly create samples and prototypes without disrupting main production. We conduct extensive testing, including strength, elongation, viscosity, weather resistance, curing behavior, hardness, adhesion, and initial tack, to evaluate performance.

The R&D team also supports customers with customized testing and benchmarking.





10



17



20



23



25



30

10. MS Polymer Adhesives & Sealants

17. PU Adhesives & Sealants

20. Silicones

23. Acrylics

25. PU Foams

30. Spray & Contact Adhesives



39. EPDM Tapes & Primers

43. Miscellaneous

46. Technical Sprays

55. Accessories

58. Private label



MS Polymer Adhesives & Sealants

Our MS Polymer is free of solvents, isocyanates, and tin components. Its technical properties are also superior to those of traditional adhesives and sealants. The following formulations are the very best of the more than 60 different types we have developed.





ROOFDETAIL MS 10 POLYMER

Zettex MS 10 Roofdetail is a solvent-free, self-leveling, single-component MS polymer sealing coating. MS 10 Roofdetail is specially developed for quickly and effectively waterproofing all kinds of roof details, such as domes, skylights, ventilation pipes, gutters, upstands, etc. MS 10 Roofdetail is ready to use, dries quickly, and adheres to all surfaces.

bucket 5 / 15 / 20 L



ROOFGUARD MS 15 POLYMER

Zettex MS 15 Roofguard is a one-component Self-leveling roof membrane based on the latest generation of MS polymers, free of solvents, isocyanates, and silicones. The membrane will not sag. Suitable for horizontal and vertical surfaces. It cures with moisture at room temperature. Waterproofing patios, roofs, decking, gutters, pipes, and cracks in roofs and walls. Waterproofing joints in interior and exterior walls. Waterproofing basement walls (interior and exterior). Waterproofing underground structures and basements. Excellent adhesion to substrates such as concrete, brick, metal, glass, ceramic, wood, and coated plywood, as well as metals such as aluminum, steel, zinc, and copper.

bucket 5 / 15 / 20 L



SPRAYBOND MS 20 POLYMER

Zettex MS 20 Spraybond is a highly fluid, sprayable MS polymer suitable for use on any surface. It can be used as a large-surface adhesive in construction and industry and adheres to all substrates. Thanks to its low viscosity, Zettex MS 20 Spraybond is very easy to spray without high pressure.

290 ml cartridge	600 ml foil	200 L drum
------------------	-------------	------------



ULTRA SEAL MS 25 POLYMER

Zettex MS 25 Ultraseal is suitable for use on virtually any substrate. Zettex MS 25 Ultraseal can be used to seal the most common joints. Zettex MS 25 Ultraseal can be painted with most common water-based paint systems. Delayed drying may occasionally occur. Preliminary testing is recommended. Zettex MS 25 Ultraseal is also suitable as a sealant in chemical and wet environments.

290 ml cartridge	600 ml foil	200 L drum
------------------	-------------	------------



FACADE LM MS 28 POLYMER

Zettex MS 28 Façade LM is a high-quality MS polymer sealant and expansion joint sealant that can be applied to all surfaces and can be used to seal all types of joints. This polymer should only be applied with a good-quality caulking gun. It bonds to all types of metal and roof structures. It is also suitable for EPDM, lead, zinc, copper, mirrors, stone, polystyrene, plastics, concrete, and natural stone.

290 ml cartridge	600 ml foil	200 L drum
------------------	-------------	------------



CONSTRUCT MS 30 POLYMER

Zettex MS 30 Construct is an all-around adhesive and sealant for use in construction and for bonding all types of materials except PE and PP. Zettex MS 30 Construct has a wide range of applications and is suitable for use on any surface. Zettex MS 30 Construct is extremely versatile and the solution for every bonding application.



290 ml cartridge	600 ml foil	200 L drum
------------------	-------------	------------



GLAZING MS 35 POLYMER

Zettex MS 35 Glazing is a high-quality, professional, universal, and paintable sealant based on MS polymer. MS 35 Glazing hardens under the influence of moisture, becoming a durable, elastic rubber. Zettex MS 35 Glazing is designed as a universal glazing sealant in accordance with NEN 3576/NPR 3577.



290 ml cartridge	600 ml foil	200 L drum
------------------	-------------	------------

GRASSBOND MS 40 POLYMER

Zettex MS 40 Grassbond is a durable, single-component artificial grass adhesive that can be applied to most common substrates without a primer. Zettex MS 40 Grassbond is permanently elastic and solvent-free. It adheres to all types of artificial grass and can be applied to wet substrates.



290 ml cartridge	600 ml foil	200 L drum
------------------	-------------	------------

FLOOR ADHESIVE MS 44 POLYMER

MS 44 is a high-quality, ready-to-use, single-component, solvent-free adhesive for bonding all types of floors to various substrates. MS 44 Floor Adhesive is easy to spread and dries quickly. It can be used without a primer and on heated floors.



600 ml foil	2800 ml foil	10 kg bucket	20 kg bucket
-------------	--------------	--------------	--------------



FACADE SEALER MS 52 POLYMER

Zettex MS52 Facade Sealer is a ready-to-use adhesive paste with special properties for horizontal and vertical bonding of EPDM rubber sheeting. Zettex MS52 Façade EPDM Bond is a ready-to-use adhesive paste with special properties for horizontal and vertical bonding of EPDM rubber sheeting. MS52 Façade EPDM Bond offers excellent adhesion to various materials, including EPDM sheeting, rigid PVC, acrylic glass, SVS, stainless steel, stone, concrete, aerated concrete, lead, wood, and bituminous substrates. Single-sided bonding of EPDM sheeting to various substrates and to itself.

600 ml foil



EPDM ADHESIVE MS 50 POLYMER

Zettex MS 50 EPDM Sealer is a permanently elastic adhesive and sealant for all types of EPDM. Zettex MS 50 EPDM Sealer can be applied to American and European EPDM without the use of a primer. It also adheres to wet surfaces. MS 50 EPDM Sealer can also be used as a repair sealant.



290 ml cartridge 600 ml foil 2800 ml foil 200 L drum

MARINE BOND MS 57 POLYMER

Zettex MS 57 Marine Bond is a high-quality, single-component sealant based on MS polymer. Zettex MS 57 Marine Bond adheres to all types of wood. In some cases, it can be applied without a primer.



290 ml cartridge 600 ml foil 200 L drum

SUPERIOR ICE MS 60 POLYMER

Zettex MS 60 Polymer Superior ICE is a high-quality adhesive and construction sealant that, thanks to its unique formulation, can also be used in cold weather. This product cures down to -15 degrees and adheres very well to materials such as polyester, polyurethane, ship decks, stainless steel, wood, aluminum, and ABS (in consultation). It can also be used on damp surfaces.

290 ml cartridge 600 ml foil 200 L drum



SUPERIOR MS 60 POLYMER

Zettex MS 60 Polymer is a universal adhesive and construction sealant for bonding all types of materials except PE and PP. This polymer can be used on any substrate, is extremely versatile, and is the answer to any bonding requirement. Zettex MS 60 Polymer is completely free of solvents, plasticizers, silicones, and isocyanates. Zettex MS 60 Polymer is Isega certified.



290 ml cartridge	600 ml foil	2800 ml foil	200 L drum
------------------	-------------	--------------	------------

PANEL BOND MS 65 POLYMER

Zettex MS 65 Panel is a single-component, moisture-curing polymer with extremely high tensile strength. Zettex MS 65 is specifically designed for bonding the most common facade panels. Zettex MS 65 Panel can also be applied to cement panels. Consult our instructions for use.



290 ml cartridge	600 ml foil	200 L drum
------------------	-------------	------------

HIGH TACK MS 70 POLYMER

Zettex MS 70 High Tack is a universal adhesive for bonding all types of materials, except PE and PP. Zettex MS 70 High Tack has a very high initial tack and can be used on most common substrates. Zettex MS 70 High Tack is specially developed for bonding stone, concrete, mirrors, glass, plaster, PU, PVC, hard plastics, glaze, ceramics, copper, lead, zinc, tin, aluminum, metal, alloys, and stainless steel.



290 ml cartridge	600 ml foil	2800 ml foil	200 L drum
------------------	-------------	--------------	------------





WINDSHIELD MS 72 POLYMER

Zettex MS 72 Windshield is a one-component automotive windshield adhesive designed for the permanent bonding of all types of glass in cars, caravans, and body constructions. Zettex MS 72 Windshield can be applied without the use of a primer and has a drive-away time of 1 hour for vehicles equipped with two airbags. MS 72 Windshield remains permanently flexible and is solvent-free. Zettex MS 72 Windshield is TÜV and NCAP certified.



290 ml cartridge	600 ml foil	200 L drum
------------------	-------------	------------

TURBO MS 75 POLYMER

Zettex MS 75 Polymer High Tack Turbo is a universal, ultra-fast-drying adhesive for bonding all types of materials, except PE and PP. Zettex MS 75 High Tack Turbo is based on a fast-reacting polymer, giving it not only a very high initial tack but also a very fast drying time, reaching its final strength after just 4 hours.



290 ml cartridge	600 ml foil	200 L drum
------------------	-------------	------------

STRONGBOND MS 80 POLYMER

Zettex MS 80 Strongbond is an extremely strong adhesive and construction sealant for bonding most common materials, except PE and PP. Zettex MS 80 Strongbond can be applied to virtually any substrate. Its high initial tack makes it ideal for use in the aircraft, automotive, and offshore industries.



290 ml cartridge	600 ml foil	200 L drum
------------------	-------------	------------

FR300 HYBRID

Zettex FR 300 is a high-quality, durable, single-component fire-resistant adhesive based on MS polymer. This sealant is suitable for fire-resistant bonding of all types of substrates in construction and industry. Zettex FR 300 is also chemically resistant and permanently flexible. It offers fire resistance for up to 4 hours. Zettex FR 300 can be painted over with most common paints; preliminary testing is recommended.



310 ml cartridge



PU Adhesives & Sealants

In our constant quest for more ecological and greener solutions and applications, we've succeeded in making our PU products isocyanate- and solvent-free, including receiving the most important approvals and certifications. Besides its environmental friendliness, this product offers many other advantages. Its shelf life has been extended to 18 months, there's no shrinkage, it cures very quickly, and the PU adhesive doesn't react with sensitive surfaces.



PU 20 CONSTRUCTION SEALANT

Zettex PU 20 is a permanently elastic, single-component polyurethane-based construction joint sealant. It is a low-modulus sealant with excellent bonding properties and is resistant to aging and weathering. PU 20 is specifically designed for sealing vertical expansion and construction joints.

310 ml cartridge

600 ml foil



PU 40 CONNECTION SEALANT

Zettex PU 40 is a permanently elastic, one-component adhesive and sealant based on polyurethane. It is suitable for use on virtually all common substrates in the construction and industrial sectors. Zettex PU 40 offers excellent bonding properties and is also suitable for horizontal expansion and construction joints.



310 ml cartridge

600 ml foil



PU 50 CAR BODY SEALANT AND ADHESIVE

Zettex PU 50 is a permanently elastic, single-component polyurethane-based adhesive and sealant. Specially developed for automotive body construction and repair, it meets the high quality standards of the automotive industry. The fully cured product has a high shore hardness and excellent vibration resistance.

310 ml cartridge

600 ml foil





PU 70 STRONG WINDSHIELD ADHESIVE

Zettex PU 70 is a permanently elastic, single-component polyurethane-based car window adhesive. Zettex PU 70 is an extremely strong adhesive for bonding virtually any substrate in the marine, offshore, aviation, and truck and trailer industries.



310 ml cartridge

600 ml foil

PU 75 ULTRA STRONG VEHICLE ADHESIVE

Zettex PU 75 is a permanently elastic, single-component polyurethane-based car window adhesive. Zettex PU 75 is suitable for sealing all types of glass in the automotive industry. Zettex PU 75 has a drive-away time of 2 hours when used with two airbags. Zettex PU 75 must be applied in combination with Zettex Glass Primer. Zettex PU 75 is highly resistant to UV radiation, weathering, and aging.



310 ml cartridge

600 ml foil

PU 80 ULTRA FAST INDUSTRIAL VEHICLES ADHESIVE

Zettex PU 80 is a single-component, fast-curing, flexible, and very high-quality PU adhesive for the direct production and glazing of large vehicles such as trucks and trains. Zettex PU 80 has a drive-away time of 30 minutes when used with two airbags. Zettex PU 80 must be applied in combination with Zettex Glass Primer. Zettex PU 80 is extremely resistant to UV radiation, weathering, and aging.



310 ml cartridge

600 ml foil



Silicones

Silicone sealants are the most well-known sealants on the market. For this reason, we believe there's a surplus of types in this product group. We like to keep things simple. We provide you with only the best formulations of all the different types available. View our simple, yet highly suitable product line here.





ACETOXY SILICONE SANITARY 120

Zettex Acetoxy Silicone Sanitary Sealant is a one-component sealant based on acetoxy (acetic acid). Properties: Remains soft and permanently elastic. Excellent mold and bacteria resistance, antibacterial formula. Highly UV-resistant. Not paintable. Chlorine-resistant. Long-lasting, colorfast.

310 ml cartridge

600 ml foil

NEUTRAL SILICONE OXIME 200

Zettex Neutral Silicone Oxime is a one-component sealant based on oxime-cured silicone (neutral system). Properties: Remains permanently soft and elastic. Odorless, acid-free. Highly UV-resistant. Not paintable. Long-lasting, colorfast finish. Chlorine-resistant.

310 ml cartridge

600 ml foil



NEUTRAL SILICONE SANITARY 220

Zettex Neutral Silicone Sanitary is a universal sealant based on oxym with excellent antifungal and antibacterial properties. Zettex Neutral Silicone Sanitary is colorfast and UV-resistant, making it the perfect sealant for all types of joints in bathrooms, swimming pools, saunas, and other damp areas. Zettex Neutral Silicone Sanitary adheres to all common surfaces without a primer and is very easy to smooth.



310 ml cartridge

600 ml foil

ACETOXY SILICONE GP 100

Zettex Acetoxy Silicone GP is a universal silicone sealant based on acetic acid for all connections in construction and industry. Its versatile properties make Acetoxy Silicone GP ideal for structures and joints on surfaces such as glass, metal, ceramics, wood, and concrete. Zettex Acetoxy Silicone GP is permanently elastic, UV-resistant, and colorfast.

310 ml cartridge

600 ml foil



ALCOXY SILICON SANITARY 300

Zettex Alcoxy Silicone Sanitary is a high-quality one-component sealant based on Alcoxy Crosslinking silicone (neutral system). Properties: Permanently soft and elastic. Odorless and acid-free. Perfectly resistant to mold and bacteria. High UV resistance. Suitable for food contact according to HACCP and ISEGA standards. Certified according to ISO 11600-F&G 25LM. Cannot be painted over. Durable and colorfast.

310 ml cartridge

SANITARY SILICONE MEKO FREE 400

Zettex Sanitary Silicone Meko Free is a low-emission, neutral, alkoxy-based silicone sealant of very high quality. Zettex Sanitary Silicone Meko Free is a versatile sealant for all types of surfaces and conditions. It adheres excellently to all common construction and industrial surfaces and can also be applied to all types of natural stone. It offers excellent resistance to mold and UV radiation. The ultimate silicone-based all-rounder!

310 ml cartridge 400 ml foil 600 ml foil

HT 300 PACKING SEALER SILICON 500

Zettex HT 300 silicone sealant is an acetoxy-based silicone sealant that cures in combination with atmospheric moisture, forming a permanently elastic seal with excellent resistance to high temperatures, mineral oil, diluted acids, UV radiation, and weathering. Zettex HT 300 silicone sealant is specifically designed for use in areas requiring high-temperature resistance.

200 ml pressure pack

FR200 SILICONE SEALANT

Zettex FR 200 is a one-component, fire-resistant, neutral silicone sealant. Zettex FR 200 is very flexible and can be applied to any substrate. Zettex FR 200 cannot be painted over. Zettex FR 200 has a fire resistance of up to 4 hours.

310 ml cartridge



HT 300 HIGH TEMPERATURE SILICON 500

Zettex Easy Silicone HT 300 is an acetoxy-based silicone sealant that cures in combination with atmospheric moisture, forming a permanently elastic seal with excellent resistance to high temperatures, mineral oil, diluted acids, UV radiation, and weathering. Zettex Easy Silicone HT 300 is specially formulated for use in environments requiring high-temperature resistance.

310 ml cartridge





Acrylics

Acrylic sealants are used worldwide in applications where non-moving joints need to be painted over after sealing. Thanks to its unique water-based formula, Zettex acrylic sealants are easy to apply, simple to work with, and easily paintable. Specially developed formulas are available for various applications. Below you will find our most popular formulas.



EXTERIOR FLEXCRYL

Zettex Flexcryl Exterior is a high-quality sealer that can be painted over with virtually all types of paint systems. Zettex Flexcryl Exterior is extremely suitable for outdoor use and is resistant to moisture and UV radiation.

310 ml cartridge

UNIVERSAL FLEXCRYL

Zettex Flexcryl is a plasto -elastic, single-component, water-based sealant that cures quickly through water evaporation. It is used for sealing finishing joints and filling cracks indoors. Zettex Flexcryl forms a durable, flexible seal and can be painted over.

310 ml cartridge

STRUCTURE FLEXCRYL

Zettex Flexcryl Structure is a single-component, plasto -elastic, water-based sealant with added textured grains. The sealant cures quickly through water evaporation and is used for sealing joints and filling cracks indoors. Zettex Flexcryl Structure forms a durable, flexible seal and can be painted over. Zettex Flexcryl Structure gives a structured finish.

310 ml cartridge

NON-CRACK FLEXCRYL

Zettex Flexcryl Non-Crack is a plasto -elastic, single-component, water-based sealant that cures quickly through water evaporation. It is used for sealing finishing joints and filling cracks in interior walls. Using Zettex Flexcryl prevents paint layers from cracking.

310 ml cartridge

FR 100 ACRYLATE

Zettex FR 100 is a flexible, single-component, fire-resistant acrylic sealant. Zettex FR 100 is fire-resistant for up to 4 hours. Zettex FR 100 is recommended for all types of dry substrates and joints that expand by a maximum of 12.5%. Zettex FR 100 is for indoor use only and can be painted over.

310 ml cartridge





PU Foams

Today's construction industry, due to stricter regulations, demands smarter insulation solutions. For this reason, working without polyurethane foam is unthinkable. Zettex produces PU solutions that contribute to the increase in energy-efficient buildings. Mechanical fixation is replaced without loss of strength. Zettex PU foams are specially developed to meet your requirements. Whether you need adhesives or sealants, there's always a product to suit your needs. The following products are just a sample of our most frequently produced formulations.



PU FOAM HH PU FOAM - FILLER

Zettex Purfoam HH is a durable and fast-curing, single-component insulation and mounting foam. It's specially developed for sealing and filling joints and connections in building components. The foam hardens under the influence of moisture. Zettex PU Foam HH has excellent adhesion to most common building materials such as stone, concrete, metal, and various plastics (styrene, rigid PU foam, polyester, rigid PVC).

750 ml strawgrade aerosol



GUNFOAM NBS PU FOAM - FILLER

Zettex Gunfoam NBS is a durable and fast-curing, single-component insulation and mounting foam. It is specially developed for sealing and filling joints and connections in building components. The foam hardens under the influence of moisture. Zettex Gunfoam NBS has excellent adhesion to most common building materials such as stone, concrete, metal, and various plastics (styrene, rigid PU foam, polyester, rigid PVC).



750 ml gungrade aerosol

PU FOAM 2 in 1 HH/NBS PU FOAM - FILLER

Zettex Purfoam HH is a durable and fast-curing, single-component insulation and mounting foam. It's specially developed for sealing and filling joints and connections in building components. The foam hardens under the influence of moisture. Zettex PU Foam HH has excellent adhesion to most common building materials such as stone, concrete, metal, and various plastics (styrene, rigid PU foam, polyester, rigid PVC).



750 ml strawgrade aerosol

WINTERFOAM FILLING PU FOAM

Zettex Winterfoam is a durable and fast-curing single-component insulation and construction foam designed for sealing and filling joints, seams, and connections in building components. Zettex Winterfoam is specially formulated for use in subzero temperatures, with a maximum of -30°C. The foam hardens under the influence of moisture. Zettex Winterfoam has excellent adhesion to most common building materials such as stone, concrete, metal, and various plastics (polystyrene, rigid PU foam, polyester, rigid PVC).



750 ml gungrade aerosol

STONEFIX FIXING PU FOAM

Zettex Stonefix is a one-component PU adhesive for bonding blocks and bricks. Zettex Stonefix is very economical to use. The Zettex Foamgun is required to apply this product. Zettex Stonefix creates a strong bond within 30 minutes and is certified to the most stringent building standards.

750 ml gungrade aerosol

STONEFIX HH FIXING PU FOAM

Zettex Stonefix is a one-component PU adhesive for bonding blocks and bricks. Zettex Stonefix is very economical to use. The Zettex Foamgun is required to apply this product. Zettex Stonefix creates a strong bond within 30 minutes and is certified to the most stringent building standards.

500 ml gungrade aerosol

ELASTIC GUNFOAM B2 FILLING PU FOAM

Zettex Elastic Foam B2 is a permanently elastic foam specially developed to absorb movement of substrates and joints. This ensures the long-term preservation of the excellent sound and heat insulation properties between components, such as window frame joints. Thanks to its special composition, the product can be used at temperatures down to -10°C. The development and production of this product meet the strict requirements of ISO 9001/EN 29001 quality standards.

750 ml gungrade aerosol



PU FIX FIXING PU FOAM

With a single adhesive, both stone and wood can now be bonded. PU FIX is suitable for bonding calcium silicate and ceramic blocks, concrete, as well as wood and sheet materials.



750 ml gungrade aerosol

FIRE FOAM FILLER

Zettex Fire Foam is a single-component, fire-resistant polyurethane foam. This cured fire-resistant foam offers excellent temperature and sound insulation with strong adhesive properties. Zettex Fire Foam adheres to various substrates, except PTFE, polyethylene, and silicone. The foam is sensitive to UV light and sunlight. Zettex Fire Foam is ideal for fire-retardant installation of window and door frames, fire- and smoke-retardant sealing of all openings in walls, floors, and roofs, and other applications requiring fire-retardant properties. Zettex Fire Foam adheres to most common building materials: concrete, brick, plaster, foam polystyrene, PVC, metal, and wooden components.

750 ml gungrade aerosol



2K FOAM FILLING PU FOAM

Zettex Sprayfoam 2K is a high-quality, flexible, airtight, two-component spray foam. This spray foam is ready-to-use and can be used with a compatible nozzle in combination with a Zettex spray gun. Zettex Sprayfoam 2K is ideal for quickly and easily applying thermal insulation to all common substrates in construction and industry. Thanks to its unique composition, the product can be used for a wide range of applications. It can be used for applying thermal insulation to walls, ceilings, and floors. It can be used for insulating hard-to-reach areas or substrates with thermal bridges. It can be used for sealing doors, attics, garages, tanks, barrels, flues or air ducts, and cellars. It can be used as a cement substitute for sealing window frames.

11 kg Part A, 11 kg Part B



SPRAYFOAM FILLING PU FOAM

Zettex PU Sprayfoam is a universal high-quality 1K sprayable foam that is ideal for thermal and acoustic insulation of walls and ceilings. Zettex PU Sprayfoam sprays an even layer on all surfaces common in construction and industry and seals all seams and details. Zettex PU Sprayfoam is a very affordable and higher-quality alternative to existing insulation materials such as EPS, XPS glass wool, rockwool, etc. Zettex PU Sprayfoam is free of toxic CFCs and contains biogas.

750 ml gungrade aerosol





LANDSCAPING FOAM ADHESIVE

Zettex Landscaping Foam Black is a black, expanding polyurethane foam formulated to blend naturally into the landscape. This foam is fish- and plant-safe, making it ideal for landscaping projects. Suitable as a stone and concrete adhesive, it's perfect for finishing stone and wooden elements. Zettex Landscaping Foam Black is suitable for securing artificial plants in (ceramic) pots, filling external cracks/voids in foundations and holes in trees.



500 ml strawgrade aerosol

FOAM CLEANER

Zettex Foam Cleaner is a powerful cleaner for removing uncured PU residues.



500 ml aerosol



Spray & Contact Adhesives

Zettex is a leading manufacturer of contact adhesives.

Over the years, our specialty has evolved into developing and filling contact adhesives in pressure vessels. We produce and fill a wide variety of qualities in various packaging formats. We offer our customers all the different qualities to bond the most challenging surfaces most efficiently. Our product range is extensive, easy to use, and very economical.

As explained, we are the experts in this dynamic market!





SPRAYBOND X10 UNIVERSAL

Zettex Spraybond X10 is a fast-drying universal adhesive spray for the fast and precise bonding of floor coverings, foam, cork, insulation material, rubber, cardboard and the most common wood and building materials. Zettex Spraybond X10 has a temperature resistance of up to 55°C.



500 ml aerosol	21,9 kg canister
----------------	------------------

SPRAYBOND X15 ISOTACK

Zettex Spraybond X15 is a unique adhesive that can be applied on one side for the effective and economical bonding of the most common insulation materials. Due to its high solids content, Zettex Spraybond X15 is very strong and universally applicable on all substrates. Zettex Spraybond X15 has a temperature resistance of 70°C.



500 ml aerosol	21,9 kg canister
----------------	------------------

SPRAYBOND X20 MISTY

Zettex Spraybond X20 is an extremely fast-drying universal spray adhesive for the fast and precise bonding of rubber, wood, leather, cork, and HPL. Zettex Spraybond X20 has a temperature resistance of up to 110°C.



500 ml aerosol	18,9 kg canister
----------------	------------------

SPRAYBOND X30
MULTIPURPOSE

Zettex Spraybond X30 is a very high-quality, temperature-resistant contact adhesive for bonding the most common substrates in construction and industry. Zettex Spraybond X30 Universal is suitable for bonding rubber, cork, linoleum, wood, HPL, Polyether, etc. Zettex Spraybond X30 Universal has a temperature resistance of up to 110°C.



500 ml aerosol	750 ml aerosol
18,9 kg canister	

SPRAYBOND X40
HIGH SOLIDS

Zettex Spraybond X40 is a very high-quality, temperature-resistant contact adhesive for bonding various roofing materials such as EPDM, TPO and rubber. Zettex Spraybond X40 High Solids can be applied to the most common substrates such as wood, steel, insulation with aluminium backing (fleece- backed and unbacked) and bitumen.



500 ml aerosol	750 ml aerosol
18,9 kg canister	

SPRAYBOND X45
PREMIUM

Zettex Spraybond X45 is a high-quality, temperature-resistant contact adhesive based on PU and carbon. It is suitable for bonding various roofing materials to all types of substrates.



500 ml aerosol	750 ml aerosol
18,9 kg canister	

SPRAYBOND X35
EPDM

Zettex Spraybond X35 is a high-quality heat-resistant contact adhesive for bonding both American and European EPDM to all substrates. Zettex Spraybond X35 is BDA-certified for multiple substrate types in terms of both aging and wind load.

500 ml aerosol	750 ml aerosol
18,9 kg canister	



SPRAYBOND X47 CLEANER

Zettex Spraybond X47 is an acetone-based cleaner designed for flushing hoses and guns. It can also be used to remove uncured adhesive residue. Zettex Spraybond X47 is ready-to-use, economical in use and extends the life of your spray equipment. For cleaning hoses and guns. Can also be used for removing uncured adhesive residue.

22 L canister



SPRAYBOND X50 EPS/XPS

Zettex Spraybond X50 is a very high-quality contact adhesive free of solvents and plasticizers for bonding all types of EPS, XPS and PU. For quickly and effectively bonding all solvent-sensitive substrates such as EPS, XPS and PU. The adhesive does not corrode and does not harm the substrate in any way. For roof applications, it is important to check whether the heat resistance is sufficient for the purpose. Zettex Spraybond X50 is solvent-free, extremely strong, quick-drying, universally applicable and ready to use.

500 ml aerosol 18,9 kg canister



SPRAYBOND X70 PRIMER

Zettex X70 Primer is a ready-to-use, universally applicable 1-component primer based on synthetic resins and rubbers. Zettex X70 Primer has been specially developed for strengthening all types of substrates onto which self-adhesive roofing membranes are to be applied. In addition to heat resistance, it also provides reinforcement for the substrate onto which the roofing is applied. Zettex X70 Primer is an indispensable product at home when you are just starting to apply self-adhesive roofing. Suitable for priming self-adhesive roofing membranes on the following substrates: untreated metal substrates, bituminous materials, wood and concrete, plastics and laminated insulation materials.

500 ml aerosol 14 / 18,9 kg canister



SPRAYBOND X90 HYBRID

Zettex Spraybond X90 Hybrid is a very high-quality hybrid polymer adhesive without solvents and plasticizers, for one-sided spraying and bonding of all types of roof and floor materials. For quick and easy bonding of all types of roof and floor coverings, such as PVC, EPDM, TPO, bitumen, linoleum, marmoleum and PU-based substrates. The adhesive does not corrode and does not damage the substrate in any way.

22 L canister





SPRAYBOND X100 FOAMBOND

Zettex X100 Foambond is a one-component polyurethane foam adhesive (in a pressure can) for bonding EPS. Due to its high initial tack, the adhesive can also be used on wall insulation systems. Zettex X100 Foambond can be used on bituminous roofing membranes, sanded or with slate flakes. Vertical bonding is possible. Can also be applied to stainless steel sheets, concrete, fibre cement and aerated concrete. Application is possible on wood, rigid PVC, plaster and bitumen, but not on PE, PTFE and PP. It is recommended to carry out an adhesion test, regardless of the substrate. This will allow you to determine whether Zettex X100 Foambond adheres optimally.



750 ml aerosol | 14,4 kg canister

S10 EASYCONTACT

Zettex Easycontact S10 is a fast-drying universal contact adhesive. Zettex Easycontact S10 is suitable for bonding virtually all common materials in construction and industry. Easycontact S10 can be applied with a brush or roller and is DCM-free.



1/2,5/5/10/25 kg tin | 50/200 L drum | 1000 kg IBC

S20 EASYCONTACT

Zettex Easycontact S20 is a very fast-drying universal contact adhesive. Zettex Easycontact S20 is suitable for bonding virtually all common materials in construction and industry. Easycontact S20 can be applied with a brush or roller and is DCM-free.



1/2,5/5/10/25 kg tin | 50/200 L drum | 1000 kg IBC

S25 SPLICE ADHESIVE

Zettex Easycontact S25 Splice Adhesive is a ready-to-use contact adhesive for bonding overlaps to all types of EPDM. The adhesive can also be used for bonding uncured sealing tape to cured EPDM, preferably in combination with MS 50 EPDM sealer, and also when EPDM overlays need to be bonded to a flat, dry substrate (such as wood, concrete, metal, or EPDM rubber). It is also suitable for bonding EPDM-related films such as FPA to these substrates. The adhesive is not suitable for EPS, XPS, or PVC.



1/2,5/5/20 L tin

EASYCONTACT S30-B

Zettex Easycontact S30 bonds a wide range of materials, including wood, metal, rubber, fabric, most types of plastic, polyethylene, and concrete. Zettex S30 is ideal for bonds requiring high initial tack. It also has good heat resistance and an open time of several hours, provided it is protected from contamination. Some vinyls contain high levels of plasticizers, which can migrate and reduce adhesive adhesion. If in doubt, test first!



1/2,5/5/10/25 kg tin	50/200 L drum	1000 kg IBC
----------------------	---------------	-------------

EASYCONTACT S30-S

Zettex Easycontact S30S is a ready-to-use, high-strength, sprayable, waterproof contact adhesive with a very high solids content for quickly and effectively bonding all types of European and American EPDM to the most common substrates. Zettex Easycontact S30S is also suitable for bonding TPO, rubber, and HPL. Zettex Easycontact S30S offers excellent resistance to prolonged heat and a potential processing time of several hours.



1/2,5/5/10/25 kg tin	50/200 L drum	1000 kg IBC
----------------------	---------------	-------------

EASYCONTACT S40

PVC ADHESIVE

Zettex S40 PVC adhesive is a solvent-based contact adhesive specifically developed for bare or unsupported PVC roof membranes. Zettex S40 PVC adhesive has a high solids content and excellent adhesion, yet still meets all VOC regulations.

1/2,5/5/10/25 kg tin 50/200 L drum 1000 kg IBC



EASYCONTACT S70

PRIMER

Zettex Easycontact S70 Primer is a ready-to-use, one-component, universal, roll-on primer based on synthetic resins and rubbers. Zettex Easycontact S70 Primer is specifically designed to strengthen all types of substrates over which self-adhesive roofing membranes are to be applied. It is suitable for priming self-adhesive roofing membranes on the following substrates: uncoated metal substrates, bituminous materials, wood and concrete, plastics, and laminated insulation materials.


Tin 0,8/4,2/12,5 kg




S90 FLEECEBACKED

Zettex S90 Fleecebacked is a ready-to-use polyurethane adhesive for quickly and effectively bonding fleece-backed EPDM, PVC, or TPO. Suitable for PVC, concrete, aerated concrete, mineralized bituminous roofing materials, aged bituminous roofing materials, laminated insulation, wood, etc. Bonding to non-laminated insulation is also possible, but it is important to apply the adhesive in a thin layer.

Tin 5 / 10 L





PU 100

ISOBOND

Zettex Isobond PU100 is a one-component polyurethane adhesive for bonding EPS, XSP, PIR, PUR, mineral insulation materials, rock wool, cork and other types of foam. Thanks to its high initial bond, the adhesive can also be used on wall insulation systems. Zettex Isobond PU100 can be used on bituminous roofing membranes, with or without slate flakes. Vertical bonding is possible. Can also be applied to stainless steel sheets, concrete, fibre cement and aerated concrete. Application is possible on wood, rigid PVC, plaster and bitumen, but not on PE, PTFE and PP. An adhesion test is recommended, regardless of the substrate.

Tin 2/5 kg

PU 120

EPDM FIX

EPDM Fix PU120 is a high-quality, single-component, solvent-based polyurethane adhesive for bonding all types of EPDM to various substrates. EPDM Fix PU120 adheres to virtually all building substrates, such as concrete, wood, bitumen, steel, etc. It is not suitable for bonding untreated EPS. If you have any doubts about the suitability of the substrate for PU120, we recommend performing an adhesion test.

Tin 2/5 kg

WB46 EPDM ADHESIVE

Zettex WB46 EPDM Adhesive is a ready-to-use, single-component, water-based adhesive for bonding all types of EPDM and TPO to absorbent, horizontal substrates such as wood, concrete, masonry, and other materials. Zettex WB46 can be applied on one side to dry, dust- and grease-free surfaces.



10/20 L bucket, 1, 2,5/5/10 L jerrycan



SPRAYBOND X46 WATERBASED

Zettex X46 Waterbased is a strong, non-flammable water-based spray adhesive. Zettex Spraybond X46 is used for bonding plywood, OSB panels, hardboard, PVC, EPDM, TPO and all common materials on porous, moisture-absorbent substrates. Zettex Spraybond X46 can also be used as an anti-slip adhesive for floor tiles. For bonding all types of roofing and larger surfaces on porous substrates.



500 ml aerosol 750 ml aerosol 12,5 kg canister



EPDM Tapes & Primers





COVER TAPE


Zettex TPO Cover Tape consists of cured EPDM rubber combined with specially formulated butyl mastic, extruded for common roofing applications. It serves as a cover for most metal finishes, including shingle edges and drip edges, and is frequently used for horizontal repairs, seam mending, and seam overlays. This self-adhesive product offers long-term heat and chemical resistance and maintains its flexibility even under harsh conditions. With superior adhesive and shear strength, Zettex TPO Cover Tape exceeds industry standards, providing exceptional bond strength for long-term durability.



Our masking tapes are compatible with EPDM, TPO, and certain PVC roof membranes. Before application, it's essential to clean the membrane with standard roof membrane cleaners and primers.

EPDM Cover Tape sizes:


- 1.14mm cured EPDM x 127mm x 30m per roll
- 1.14mm cured EPDM x 152mm x 30m per roll
- 1.14mm cured EPDM x 229mm x 30m per roll
- 1.14mm cured EPDM x 305mm x 30m per roll
- 1.14mm cured EPDM x 457mm x 30m per roll



SEAM TAPE

Zettex Seam Tape, a butyl sealant, is designed for bonding various roof membranes in typical seam applications within the roofing industry. Thanks to its long-lasting heat and chemical resistance, Zettex EPDM Seam Tape maintains its flexibility, even under harsh conditions. Our Seam Tape products exceed industry standards for adhesive and shear strength, providing superior adhesion, ensuring durability and longevity. Seam Tape is compatible with common roof membranes such as EPDM, TPO, and some PVC membranes and allows for quick installation without the need for expensive hot air welding equipment. It is essential to use a standard roof membrane cleaner and primer before applying the tape. Available in black or white.

EPDM Seam Tape Dimensions:
 0.9 x 76 mm x 30 m per roll
 0.9 x 76 mm x 7.6 m per roll



FLASHING TAPE

Zettex sealing tapes consist of uncured EPDM rubber combined with a specially formulated butyl mastic. They are designed for use in roof structures where pipes, chimneys, vents, or corners require flexible sealing products to prevent water infiltration into the roof. The sealing tape can be shaped or stretched slightly before gradually curing to form a watertight seal. Our butyl mastic has superior adhesive and peel strength and remains flexible, even under harsh conditions, for a permanent watertight seal. Before application, it is essential to clean the surfaces with common cleaners and primers for roof membranes.

EPDM sealing tape in the following sizes:

- 1.14mm uncured EPDM x 127mm x 30m per roll
- 1.14mm uncured EPDM x 152mm x 30m per roll
- 1.14mm uncured EPDM x 229mm x 30m per roll
- 1.14mm uncured EPDM x 305mm x 30m per roll
- 1.14mm uncured EPDM x 457mm x 30m per roll



PATCHES

Zettex Patches zijn flexibele dakmembranen, verkrijgbaar in zwart of wit, met een geïntegreerde butylkitafdichting en gestanst tot ronde schijven van 20 cm (8 inch). Deze schijven zijn ideaal voor het afwerken van hoeken, als reparatiepatches of T-patches, en kunnen worden aangebracht op EPDM, de meeste TPO-membranen en bepaalde PVC-membranen. Reinig het membraan vóór installatie met Tape Primer. TPO Patch Discs zijn veelzijdig en kunnen worden gebruikt voor binnen- en buitenhoeken, T-verbindingen en reparaties van EPDM- en TPO-membranen. Zorg ervoor dat u het membraan vooraf reinigt en primert met dakbedekkingsproducten die geschikt zijn voor tape-applicaties, zoals Zettex EPDM Primer P40 of Zettex EPDM Primer WB40 (op waterbasis). Breng kit aan rond de buitenranden van de schijf voor een optimale afdichting. Gebruik een stalen roller van 7,5 cm (3 inch) voor een stevige bevestiging en voorkom luchtballen of oneffenheden.



WB40 EPDM PRIMER

Zettex WB40 EPDM Primer is een primer op waterbasis, een polymeer op rubberbasis, voor de snelle en effectieve voorbehandeling van EPDM en TPO die met een afplaktape of dektape moeten worden verlijmd. Zettex WB40 EPDM Primer kan worden aangebracht op alle ondergronden zoals beton, hout en metaal, en dus ook op alle soorten EPDM en TPO.

tin 950 ml, 3,8 / 5 L



PERIMETER STRIP

Zettex Perimeter Strip is een 15 cm brede, 0,12 mm dikke EPDM-strip die gebruikt wordt langs de randen en omtrek van daken of bij hoekovergangen hoger dan 10 cm. Deze strip is voorzien van een 7,5 cm brede butylkitafdichting en is geschikt voor installatie op EPDM- of TPO-membranen met behulp van Tape Primer. De strip wordt rond de dakrand bevestigd met stalen platen van 5 of 7,5 cm, die eerst op het dak worden bevestigd voordat het membraan wordt aangebracht. Zorg ervoor dat de achterkant van de plaat, waar deze in contact komt met de butylkit, goed schoon is. Verwijder voorzichtig de beschermfolie van de kit en druk de strip op zijn plaats. Gebruik een stalen roller om het membraan stevig in de kit te rollen voor optimale hechting. De Perimeter Strip wordt geleverd met een 7,5 cm brede butylkitafdichting en is ontworpen voor installatie op EPDM-membranen met Tape Primer. Bevestig de strip rond de dakrand met stalen platen van 5 of 7,5 cm die al op het dak zijn gemonteerd. Zorg ervoor dat de bevestigingsmiddelen bestand zijn tegen de aanbevolen windbelasting. Reinig het oppervlak van het vel waar het in contact komt met de butylkit, verwijder voorzichtig de beschermfolie en druk de strook stevig op zijn plaats. Rol vervolgens het membraan met een stalen roller in de kit voor het beste resultaat.



P40 EPDM PRIMER

Zettex EPDM Primer P40 is een toluenvrije polymere primer op rubberbasis, voor de snelle en effectieve voorbehandeling van EPDM en TPO die met een afplaktape of dektape moeten worden verlijmd. Zettex EPDM Primer P40 kan worden aangebracht op alle ondergronden zoals beton, hout, metaal en dus ook op alle soorten EPDM en TPO.

tin 950 ml, 3,8 / 5 L



Miscellaneous





CHEMICAL ANCHOR STANDARD

Zettex Chemical Anchor Standard is a two component chemical anchor. Provides excellent anchoring of studs, bolts, screws and the like in hollow and solid substrates. Examples include masonry stone, hollow brick, concrete and aerated concrete. Zettex Chemical Anchor Standard is also a perfect solution for durable anchoring of blinds, window frames and banisters. And it is a good alternative to plastic repair mortar for concrete, for example.

300 ml cartridge



CHEMICAL ANCHOR PREMIUM STYRENE FREE

Chemical Anchor Premium Styrene Free is a universal anchoring system for use in hollow and solid substrates in dry, wet or even flooded conditions/surface weather conditions. Because Chemical Anchor Premium is styrene-free it gives off little odor, making it very suitable for indoor and enclosed applications.

300 ml cartridge



CHEMICAL ANCHOR ULTRA TROPICAL

Chemical Anchor Ultra Tropical is a universal anchoring system for use in hollow and solid substrates in dry, wet or even flooded conditions/surfaces. Because Chemical Anchor Ultra Tropical is styrene-free it gives off little odor, making it well suited for indoor and enclosed applications. Chemical Anchor Polyester Tropical is a slow gel and has a fast cure time in high temperature environments.

300 ml cartridge

EPOXY STICK

METAL

Zettex Epoxy Stick is a kneadable, two-part epoxy. This repair product is mixed (by hand) in under one minute and provides a durable repair. Zettex Epoxy Stick can also be applied underwater and adheres to surfaces such as fiberglass, metal, wood, concrete, and glass. Zettex Epoxy Stick also works very well with saturated salt solutions, leaded gasoline, turpentine, and propylene glycol.

114 gr stick



SUPERGLUE

ACTIVATOR

Zettex Superglue Activator is a low viscosity, solvent based cyanoacrylate adhesive activator which contains active components dissolved in a hydrocarbon solvent.

200 ml aerosol



SUPERGLUE

MDF KIT

Zettex Superglue is an ultra-fast hardening super glue based on Ethyl Cyanoacrylate. Zettex Superglue is suitable for the fast gluing of different materials.

20 & 50 gr bottle



ROOFTEX

Zettex Rooftex is a unique repair, mounting and caulking adhesive formulated on the basis of rubber with a glass fiber reinforcement. Can be applied to wet substrates. Can be used over a wide temperature range from -12°C to +50°C.

310 ml cartridge



■ ZETTEX ■

Technical Sprays




MP 800

Zettex Multi Paste 800 is a ceramic paste designed to protect all types of metals. It creates a very strong bond and offers durable protection against salt, acid, and water.

Zettex Multi Paste is resistant to very high temperatures (1200°C) and is chemically resistant. Zettex Multi Paste 800 is the alternative to user-unfriendly and environmentally harmful copper grease.



500 ml aerosol	250 g pot	500 g pot	200 ml pp
----------------	-----------	-----------	-----------



MULTI SPRAY

Zettex Multispray is a high-quality, industrial penetrating oil with a wide range of applications. Zettex Multispray is also an excellent solution for dirt and grease. The product displaces moisture and is often used to protect corrosion-sensitive materials.



500 ml aerosol

SUPERLUBE HEXAFLON

Zettex Superlube Hexaflon is designed to create a dry film with a low-friction surface, effective over a wide temperature range. Superlube can withstand temperatures between -40°C and 220°C. Thanks to its dry properties, Zettex Superlube Hexaflon does not retain dirt.



500 ml aerosol

CHAINGEL

Zettex Chaingel is a high-quality universal lubricant and chain spray. Chaingel is resin- and acid-free, skin-friendly, corrosion-resistant, and waterproof. It forms an active, permanent, and flexible lubricating film.

It penetrates easily between moving parts and hardens within seconds to provide perfect lubrication.



500 ml aerosol





TAPPING GEL

Zettex Tapping Gel is a high-quality drilling and cutting oil with strong sticking properties and excellent cooling capacity.

Zettex Tapping gel keeps drilling and cutting tools in optimum condition. It has a long lasting life for optimal lubrication and cooling of parts.



500 ml aerosol	5 L can
----------------	---------

PTFE OIL

Zettex PTFE Oil is a high-quality, PTFE-based lubricant oil that is universally applicable and suitable for use under the most extreme conditions. Zettex PTFE Oil offers perfect adhesion to virtually any surface.



500 ml aerosol	10 L can
----------------	----------

PTFE GREASE

Zettex PTFE Grease is a high-quality, sprayable grease based on PTFE. Zettex PTFE Grease can be applied to all types of surfaces and is silicone-free. It is primarily designed for applications requiring extreme water resistance.



500 ml aerosol	400 ml cartridge
----------------	------------------





SILGLISS LUBRICANT

Zettex Silgliss Lubricant is a universal, silicone-free, temperature-resistant lubricant used to facilitate the sliding of parts in the woodworking industry, among others.



500 ml aerosol

5 L can

MOS 2 OIL

Zettex Mos 2 Oil is an electrically conductive, effective rust remover with an immediate lubricating effect. Prevents seizure of nuts, bolts, and screws. Reduces friction and wear. Prevents thread damage. Extremely water-repellent and has a high water displacement capacity. Prevents corrosion and protects metal. Reduces and eliminates creaking and squeaking noises. Good penetrating properties. Silicone- and acid-free. Non-gum forming.



500 ml aerosol

MULTI OIL

Zettex Multi-Oil is a high-quality, universal lubricant with a 7-fold action. Zettex Multi-Oil displaces moisture and dissolves rust and dirt.



500 ml aerosol

5 L can

SILICONE SPRAY

Zettex silicone spray is a high-quality spray containing 70% silicone. This silicone spray can be applied to a wide range of surfaces and provides long-lasting protection.



500 ml aerosol

5 L can

50 L drum

BALSAM

Zettex Balsam is a transparent spray for protecting rubber, leather, all types of plastic, and PVC against aging. Zettex Balsam contains silicone and PTFE additives.

500 ml aerosol



COCKPIT SPRAY

Zettex Cockpit Spray Antistatic is a silicone-free cockpit spray that is suitable for all types of dashboards and leather surfaces.

500 ml aerosol	5 L can
25 L can	



HIGH WAX POLISH

Zettex High Wax Polish is a high-quality wax polish based on a blend of naturally occurring waxes. Contains carnauba for optimal durability and shine.

500 ml aerosol



LEAK DETECTOR

Zettex Leak Detector is a non-flammable, water-based foam. It can be used to detect gas leaks in sealed systems.

500 ml aerosol



WELDING SPRAY

Zettex Welding Spray is an environmentally friendly welding spray without silicone. It can be sprayed in all directions and is non-flammable.

500 ml aerosol





UNDERBODY COATING

Zettex Underbody Coating spray is a black, bitumen-rich, water-resistant, anti-corrosion coating for the underside of cars. It protects against physical damage, stone chips, and damp conditions. It can be oversprayed with most common paints.

500 ml aerosol



MATT BLACK

Zettex Matt Black Aerosol is a high-quality acrylic resin lacquer with corrosion-resistant properties. It provides optimal and fast coverage of the parts to be treated, even on chrome and other paint types. It is colorfast and opaque in a single coat.



500 ml aerosol

PROTECT WAX

Zettex Protectwax is a universal, fast-drying protective wax for the long-term protection of untreated metals against rust and corrosion.



500 ml aerosol

5 L can

50 L drum

SILVER SPRAY

Zettex Silverspray is a fast-drying, oversprayable paint with a very high zinc content. It is resistant to chemical and mechanical wear. It provides strong adhesion and long-lasting protection.




500 ml aerosol

ZINC SPRAY HIGH ZINC CONTENT / ALUMINIUM / GALVANISER

Zettex Zinc Spray is a fast-drying, paintable coating with a very high zinc content. It is resistant to chemical and mechanical wear. It provides strong adhesion and long-lasting protection.



500 ml aerosol





PROFI CLEANER

Zettex Profi Cleaner is a degreaser based on medicinal alcohol with extremely fast evaporation properties. Zettex Profi Cleaner is highly effective at dissolving dirt and grease and can be used to remove all types of adhesives and sealants. It leaves no residue and is not harmful to the surface.

500 ml aerosol, Tin 5, 25 L, Drum 50, 200 L, 1000 kg IBC



GRAFFITI REMOVER

Zettex Graffiti Remover thoroughly removes graffiti from most surfaces without damaging them. Moreover, Zettex Graffiti Remover is extremely effective without the use of methylene chloride.

500 ml aerosol



AIRJET ECONOMY

Zettex Airjet Economy is an air spray, specially developed for removing dirt, dust and other superficial contamination where cleaning with wet or chemical products is not permitted.

500 ml aerosol





STAINLESS STEEL SPRAY

Zettex Stainless Steel Spray is a transparent protective coating for metal, plastics, and painted surfaces. Zettex Stainless Steel Spray quickly and easily removes all types of metal. It has a high protective capacity and is windproof and waterproof.



500 ml aerosol

MULTI FOAM

Zettex Multi Foam is a universally applicable foam cleaner for streak-free cleaning of all types of surfaces, such as mirrors, glass, plastic screens, ceramics, HPL, fabric, leather, etc. Zettex Multi Foam penetrates deeply into the surface and therefore has an excellent cleaning effect.



500 ml aerosol

TAR REMOVER

Zettex Tar Remover is a special cleaner for removing tar, bitumen, grease, oil and asphalt splashes from various surfaces.



500 ml aerosol

CITRONEL CLEANER

Zettex Citronel Cleaner is a biological cleaner based on citrus terpenes. It safely removes oils, greases, inks, adhesive residues, bitumen, and more. Zettex Citronel Cleaner can be used on all surfaces. It is non-corrosive and non-aggressive to most materials, making it extremely safe to use.



500 ml aerosol

SECURITY CLEANER

Zettex Security Cleaner is a residue-free adhesive remover that is safe to use on most common surfaces. It is also a versatile cleaner and degreaser. Zettex Security Cleaner is safe to use on most plastics, lacquered and painted surfaces, vinyl, and glass.



500 ml aerosol, Tin 1, 5, 25 L

MOUNTING CLEANER

Zettex Mounting Cleaner is a powerful and fast-evaporating cleaner for cleaning all types of surfaces. Zettex Mounting Cleaner quickly and effectively removes all types of grease, adhesive residue, paint, ink residue, and all types of varnish and coatings.



500 ml aerosol, Tin 5, 25 L, Drum 50, 200 L, 1000 kg IBC

COLD DEGREASER

Zettex Cold Degreaser is designed for the removal of heavy industrial contamination such as grease and lubricants. It effectively cleans machine parts and sheet metal. In addition, it can be used for cleaning greasy floors and walls. Zettex Cold Degreaser is formulated with highly effective emulsifiers and hydrocarbon solvents with low evaporation loss.



Tin 5, 25 L, Drum 50, 200 L, 1000 kg IBC

MEGA CLEAN

Zettex Megaclean is a fast-evaporating acetone-based degreaser. It's suitable for degreasing all types of surfaces, such as brake discs, brake calipers, cylinders, engine parts, etc.



500 ml aerosol



■ ZETTEX ■



Accessories



ZX-100 CLEANING SET

The ZX-100 Cleaning Set can be used to clean all accessories belonging to the pressure vessels, in combination with the Foam Cleaner.



1 piece

ZX-200 HANDY SET


The ZX-200 Handy Set can be used on uneven roof decks where more adhesive needs to be applied. The ZX-200 has been specially developed for the Spraybond X100 Foambond.



1 piece per box

ZX-300 COMPLETE SET

The ZX-300 Complete Set includes the complete package for processing Zettex Spraybond X100 Foambond. Important after use: close the gun with the screw. Never disconnect the hose and the gun from the pressure vessel, but maintain pressure. This way the system remains airtight. This way, the product can still be applied perfectly after 2 weeks without the adhesive having hardened in the hose or gun.



1 piece per box

PRESSURE ROLLERS WITH OR WITHOUT EXTENSION

Pressure roller for pressing HPL or veneer onto glued substrates.



1 piece

HANDGUN PREMIUM WITH OR WITHOUT EXTENSION

A premium version multi-function gun for applying all our Spraybond products (X10-X90). A special nozzle also allows you to adjust the spray pattern.



Extension: 61 / 81 / 100 cm

HOSE

The universal hose for connecting the Spraybond pressure vessels (X10 - X50). This is connected to both the hose and the gun.



3,5 m & 5,5 m

PTFE HOSE

The Loose Hose PTFE can be used for spraying Zettex Spraybonds. Particularly for the Zettex Spraybond X80 and X90 which are PU and hybrid based.



3,5 m

PRIMER Z-05

Zettex Primer Z-05 is a polyurethane and solvent-based primer. It improves the adhesion of polymers on porous substrates and preserves the wooden framework to which the siding is bonded. It also improves the adhesion of Zettex MS 65 to cement-bonded siding.



Tin 1 L

CAULKGUN

Zettex Caulkgun is a high-quality, sturdy caulking gun. Very easy to use and compatible with all our adhesives and sealants in tube packaging.



CLEANING WIPES

Zettex Cleaning Wipes are handy cleaning wipes for quickly and easily removing oil, adhesives, paint, and grease residue. They are ideal for cleaning all types of surfaces. Zettex Cleaning Wipes can also be used to clean hands.



HANDGUN ECO WITH OR WITHOUT EXTENSION

A multifunctional spray gun for applying all our Spraybonds (X10 - X90). A special nozzle allows you to adjust the spray pattern. The extension makes work easier.



Extension: 61 / 81 / 100 cm

CAULKGUN 600ML FOIL


The Zettex Caulkgun 600 ml Foil is a closed, manual gun for sausage packaging up to 600 ml. Pressure is applied via the bar at the back of the gun, which should not be removed.



Private label

As an experienced and reliable player in the roofing market, we possess extensive knowledge of the applicable packaging and product requirements. These requirements are standardly met with great care, ensuring that quality and reliability are always guaranteed. Should you as a customer have specific or non-standard requirements regarding packaging or presentation, we are happy to actively think along with you to arrive at the best possible solution. Zettex offers a wide range of possibilities in the field of private label packaging. Whether it concerns coloured or pre-printed packaging, smaller volumes, or extra-large packages, we can fully realise this according to your wishes. The finishing and functionality of the packaging also offer versatile options. From valves and sealing edges to nozzles and other specific details, all components can be tailored to your product and brand identity. Thanks to our flexibility and experience, you are assured of a private label solution that not only meets the technical requirements but also perfectly aligns with your commercial objectives.







THE NETHERLANDS

Zettex Europe BV
Production, R&D & Distribution
Patrijsweg 1, 4791 RV, Klundert
The Netherlands



POLAND

Zettex Industry Sp. z o.o Production
Tropiszewo 11, 82-224 Lichnowy
Poland



Zettex Group B.V.
Patrijsweg 1, 4791 RV Klundert
The Netherlands

+31 (0)888-93 88 39
sales@zettex.com
www.zettex.com

ZETTEX
STICK WITH US